

Guaranteed Polynesian Navigation


T. Nico, L. Jaulin, B. Zerr




Polynesian navigation



Find the route without GPS, compass and clocks



Pair of stars technique





Pair of stars technique


Polynesian navigation

Exploration


Reach an island

No-lost zone






Prove that islands will be reached by one boat




Prove that islands will be reached by the n boats



Alignment to keep the heading in case of clouds



Find a control to reach the geo-localized islands



Explore a given area entirely to find new islands


Our problem

- Given a set of geo-localized islands $\mathbf{m}_i, i \geq 0$.
- The i th coastal area is:


$$\mathbb{C}_i = \{\mathbf{x} \mid c_i(\mathbf{x}) \leq 0\}.$$

- A robot has to move in this environment without being lost.


Polynesian navigation
Exploration
Reach an island
No-lost zone




Polynesian navigation
Exploration
Reach an island
No-lost zone




Polynesian navigation
Exploration
Reach an island
No-lost zone



C_1, C_2, C_3, C_4




$$\mathbb{C}_1 = \{\mathbf{x} = (x, y, \theta) | (x, y) \in \text{blue and } \theta \text{ toward the buoy}\}$$



[3]

Follow isobaths

Polynesian navigation
Exploration
Reach an island
No-lost zone



Exploration

Blind observer

Given

$$\begin{cases} \dot{\mathbf{x}} = \mathbf{f}(\mathbf{x}, \mathbf{u}), & \mathbf{u}(t) \in [\mathbf{u}](t) \\ \mathbf{y} = \mathbf{g}(\mathbf{x}), & \mathbf{y}(t) \in [\mathbf{y}](t) \\ \mathbf{x}(0) = \mathbf{x}_0 \end{cases}$$

An observer is *blind* if $\dim \mathbf{y} = 0$.

Predict is a blind estimation problem

$$\begin{cases} \dot{\mathbf{x}}(t) &= \mathbf{f}(\mathbf{x}(t), \mathbf{u}(t)) \\ \mathbf{y}(t) &= \mathbf{g}(\mathbf{x}(t)) + \mathbf{e}_y(t) \\ \mathbf{u}(t) &= \mathbf{r}(\mathbf{y}(t)) + \mathbf{e}_u(t) \end{cases} \quad \begin{array}{l} \mathbf{e}_y(t) \in [\mathbf{e}_y] \\ \mathbf{e}_u(t) \in [\mathbf{e}_u] \end{array}$$

$$\begin{cases} \dot{\mathbf{x}}(t) = \mathbf{f}(\mathbf{x}(t), \mathbf{r}(\mathbf{g}(\mathbf{x}(t)) + \mathbf{e}_y(t)) + \mathbf{e}_u(t)) \\ \mathbf{e}_y(t) \in [\mathbf{e}_y], \mathbf{e}_u(t) \in [\mathbf{e}_u] \end{cases}$$


$$\dot{\mathbf{x}}(t) = \mathbf{h}(\mathbf{x}(t), \mathbf{v}(t))$$
$$\mathbf{v}(t) \in [\mathbf{v}]$$

with

$$\mathbf{v} = (\mathbf{e}_y, \mathbf{e}_u)$$

$$\mathbf{h}(\mathbf{x}, \mathbf{v}) = \mathbf{f}(\mathbf{x}, \mathbf{r}(\mathbf{g}(\mathbf{x}) + \mathbf{e}_y) + \mathbf{e}_u)$$

$$[\mathbf{v}] = [\mathbf{e}_y] \times [\mathbf{e}_u]$$



Visible area

The robot has a state $\mathbf{x}$. The visible area is $\mathbb{V}(\mathbf{x})$

Example. The robot is able to see all up to 3 meters

$$\mathbb{V}(\mathbf{x}) = \left\{ (z_1, z_2) \mid (z_1 - x_1)^2 + (z_2 - x_2)^2 \leq 9 \right\}.$$

Blind exploration

The explored zone $\mathbb{Z}$ is defined by [1]

$$\left\{ \begin{array}{l} \dot{\mathbf{x}} = \mathbf{f}(\mathbf{x}, \mathbf{u}), \mathbf{u}(t) \in [\mathbf{u}](t) \\ \mathbb{Z} = \bigcup_{t \geq 0} \mathbb{V}(\mathbf{x}(t)) \\ \mathbf{x}(0) = \mathbf{x}_0 \end{array} \right.$$


We have


$$\underbrace{\bigcap_{\mathbf{x}(\cdot) \in \mathcal{X}(\cdot)} \bigcup_{t \geq 0} \mathbb{V}(\mathbf{x}(t))}_{\mathbb{Z}^-} \subset \mathbb{Z} \subset \underbrace{\bigcup_{\mathbf{x}(\cdot) \in \mathcal{X}(\cdot)} \bigcup_{t \geq 0} \mathbb{V}(\mathbf{x}(t))}_{\mathbb{Z}^+}.$$


$\mathbb{Z}^-$ is the *certainly explored zone*.

$\mathbb{Z}^+$ is the *maybe explored zone*.

$\mathbb{Z}^+ \setminus \mathbb{Z}^-$ is the *penumbra*.









Spiral scan


We have [2]


$$\underbrace{\bigcup_{t \geq 0} \bigcap_{\mathbf{x} \in \mathcal{X}(t)} \mathbb{V}(\mathbf{x})}_{\{\mathbf{z} \mid \exists t \ \forall \mathbf{x} \in \mathcal{X}(t), \mathbf{z} \in \mathbb{V}(\mathbf{x})\}} \subset \mathbb{Z}^- = \underbrace{\bigcap_{\mathbf{x}(\cdot) \in \mathcal{X}(\cdot)} \bigcup_{t \geq 0} \mathbb{V}(\mathbf{x}(t))}_{\{\mathbf{z} \mid \forall \mathbf{x}(\cdot) \in \mathcal{X}(\cdot), \exists t, \mathbf{z} \in \mathbb{V}(\mathbf{x})\}}$$







Polynesian navigation
Exploration
Reach an island
No-lost zone












Boustrophedon

Which pattern is the best for exploration?






Applications



Daurade DGA-TN



During its boustrophedon Daurade explored $\mathbb{Z} \in \llbracket \mathbb{Z} \rrbracket$

Reach an island

Assumptions

- The coastal areas are small compare to the offshore area.
- In the coastal area, the robot knows its state
- Offshore, the robot is blind

Robot

The robot is described by

$$\begin{cases} \dot{\mathbf{x}} = \mathbf{f}(\mathbf{x}, \mathbf{u}), & \mathbf{u}(\cdot) \in [\mathbf{u}](t) \\ \mathbf{x}(0) = \mathbf{x}_0 \end{cases}$$

Offshore, the robot is blind and an open loop strategy.

The set flow $\Phi : \mathbb{R} \times \mathbb{R}^n \rightarrow \mathcal{P}(\mathbb{R})$ is defined as:

$$\Phi(t_1, \mathbf{x}_0) = \{\mathbf{x}(t_1) | \exists \mathbf{u}(\cdot) \in [\mathbf{u}](t), \dot{\mathbf{x}} = \mathbf{f}(\mathbf{x}, \mathbf{u}), \mathbf{x}(0) = \mathbf{x}_0\}$$


Backward reach set

Given the set $\mathbb{A}$, the backward reach set is defined by

$$\text{Back}(\mathbb{A}) = \{\mathbf{x} \mid \forall \varphi \in \Phi, \exists t \geq 0, \varphi(t, \mathbf{x}) \in \mathbb{A}\}.$$


Example.

$$\Phi(t, \mathbf{x}) = \begin{pmatrix} x_1 + t \\ e^{-t} \cdot x_2 \end{pmatrix} + t(1 + |x_2|) \begin{pmatrix} [-1, 1] \\ [-1, 1] \end{pmatrix}$$



Safe start points with a East strategy to reach the circle

Polynesian navigation
Exploration
Reach an island
No-lost zone




Archipelagic effect

We have

$$\text{Back}(\mathbb{A} \cup \mathbb{B}) \supset \text{Back}(\mathbb{A}) \cup \text{Back}(\mathbb{B})$$

Polynesian navigation
Exploration
Reach an island
No-lost zone





No-lost zone

Moving between coastal zones

- We have m coastal sets $\mathbb{C}_1, \mathbb{C}_2, \dots, i \in \{1, 2, \dots\}$
- We have open loop control strategies $\mathbf{u}_j, j \in \{1, 2, \dots\}$,
- Equivalently, we have set flows $\Phi_j(t, \mathbf{x}_0)$.
- The control strategy cannot change offshore.

Graph

From $\mathbb{C}_1$ we can reach $\mathbb{C}_2$ with the j th control strategy if

$$\mathbb{C}_1 \cap \text{Back}(j, \mathbb{C}_2) \neq \emptyset.$$

From $\mathbb{C}_1$ we can reach $\mathbb{C}_2$ with at least one control strategy if

$$\mathbb{C}_1 \cap \bigcup_j \text{Back}(j, \mathbb{C}_2) \neq \emptyset.$$

From $\mathbb{C}_1$ we can reach $\mathbb{C}_2 \cup \mathbb{C}_3$ with at least one control strategy if


$$\mathbb{C}_1 \cap \bigcup_j \text{Back}(j, \mathbb{C}_2 \cup \mathbb{C}_3) \neq \emptyset.$$

We define $\hookrightarrow$ as:


- $\mathbb{C}_a \hookrightarrow \mathbb{C}_b$ if from $\mathbb{C}_a$ we can reach $\mathbb{C}_b$ with at least one control strategy j .
- $\hookrightarrow$ is the smallest transitive relation such that

$$\left\{ \begin{array}{l} \forall k \in \mathbb{K}, \mathbb{C}_{i_k} \hookrightarrow \mathbb{C}_b \\ \exists j, \mathbb{C}_a \cap \text{Back}(j, \bigcup_{k \in \mathbb{K}} \mathbb{C}_{i_k}) \neq \emptyset \end{array} \right. \Rightarrow \mathbb{C}_a \hookrightarrow \mathbb{C}_b$$

Graph



$$\mathbb{C}_1 \cap \text{Back}(1, \mathbb{C}_3 \cup \mathbb{C}_4) \neq \emptyset \Rightarrow \mathbb{C}_1 \rightarrow (\mathbb{C}_3, \mathbb{C}_4)$$



Graph of $\hookrightarrow$

Cycle


If

$$\left\{ \begin{array}{l} \mathbb{C}_{i_1} \cap \mathbb{C}_{i_2} = \emptyset \\ \mathbb{C}_{i_1} \hookrightarrow \mathbb{C}_{i_2} \\ \mathbb{C}_{i_2} \hookrightarrow \mathbb{C}_{i_1} \end{array} \right.$$

then we can revisit $\mathbb{C}_{i_1}$ and $\mathbb{C}_{i_2}$ for ever.

Forward


Polynesian navigation
Exploration
Reach an island
No-lost zone



No lost zone

It is the set of all points I can visit from a coastal area without being lost with the available control strategies.
It is a thick set.

Polynesian navigation
Exploration
Reach an island
No-lost zone



Open question

The robot at position **a** is lost for all feasible control strategies the robot cannot guarantee that it will reach an island.
How to prove that the robot is lost?



B. Desrochers and L. Jaulin.

Computing a guaranteed approximation the zone explored by a robot.

IEEE Transaction on Automatic Control, 62(1):425–430, 2017.



V. Drevelle, L. Jaulin, and B. Zerr.

Guaranteed characterization of the explored space of a mobile robot by using subpavings.

In *Proc. Symp. Nonlinear Control Systems (NOLCOS'13)*,
Toulouse, 2013.



S. Rohou.

Reliable robot localization: a constraint programming approach over dynamical systems.

PhD dissertation, Université de Bretagne Occidentale,
ENSTA-Bretagne, France, december 2017.