



[GESMI, an interval-based
software for submarine
SLAM]

> Plan

1. Introduction
2. GESMI
3. Set membership approach used for SLAM
4. Demo
5. Conclusion



Introduction

Introduction

- Context: offline SLAM for a submarine robot using interval arithmetic and constraint propagation (without outliers)




Introduction

- Daurade, a submarine robot of the GESMA



Introduction

- Experiment in the Douarnenez bay (Brittany)




GESMI



- Goals of GESMI:
 - Compute and show an envelope for the trajectory of the robot
 - Compute sets which contain some detected marks
 - Check the consistency of input data
 - Help the human operator for the detection/identification of the marks
 - Everything is represented as intervals or boxes




- Input:
 - Navigation data of the submarine (Euler angles, depth, altitude, speed, some GPS positions)
 - Marks detections on the sonar image (distance)
 - Time and max error for each data




- Output:
 - Trajectory (envelope and center)
 - Position of marks in the sea (envelope and center)
 - Error evolution with respect to time
 - Waterfall (sonar image) reconstitution showing when and where the submarine should have been next to the marks




GESMI



- For our experiment, most of the detections of the marks were performed by a human operator after the mission of the robot with a dedicated software.



- However, GESMI needs only 1 detection for each mark : with the navigation data, it can predict when the submarine could have been next to the mark another time




Set membership approach used for SLAM

Set membership approach used for SLAM


- Equations:

$$\left\{ \begin{array}{ll} \dot{\mathbf{x}} = \mathbf{f}(\mathbf{x}, \mathbf{u}) & \text{(evolution equation)} \\ \mathbf{y} = \mathbf{g}(\mathbf{x}) & \text{(observation equation)} \\ \mathbf{z}_i = \mathbf{h}(\mathbf{x}, \mathbf{u}, \mathbf{m}_i) & \text{(mark equation)} \end{array} \right.$$



Set membership approach used for SLAM

- 3 main steps for the position estimation:
 - Forward contraction
 - Backward contraction
 - Contraction with mark detections
- These steps have to be run several times until the estimation does not change any more
- Generation of the reconstructed waterfall showing potential missing detections



Demo



Conclusion


Conclusion

- GESMI is a program that estimates the trajectory of a submarine robot and the position of marks using set membership methods
- In the same time, it checks the consistency of input data and helps the user to detect marks on the sonar image to improve the position estimation



Conclusion

- Prospects :
 - Using the sonar image to eliminate zones where we are sure there is no object (no bright points) could help the user to see which parts of the sonar data might contain objects and also improve the precision of the positions estimation (sonar image contraction)
 - The trajectories and functions could be represented as tubes (box-valued functions which are constant for all t inside intervals)



References

- L. Jaulin. *A Nonlinear Set-membership Approach for the Localization and Map Building of an Underwater Robot using Interval Constraint Propagation*. IEEE Transaction on Robotics 25(1), 88-98 (2009).
- L. Jaulin, M. Legris, F. Dabe. *GESMI, un logiciel pour l'aide à localisation de mines sous-marines*. In "JIME 2006 (Journées Identification et Modélisation Expérimentale)", Poitiers (France) (2006).
- F. Le Bars, A. Bertholom, J. Sliwka, L. Jaulin. *Interval SLAM for underwater robots; a new experiment*. NOLCOS 2010, La Spezia (Italy) (2010).
- L. Jaulin, M. Kieffer, O. Didrit, E. Walter. *Applied Interval Analysis, with Examples in Parameter and State Estimation, Robust Control and Robotics*. Springer-Verlag, London (2001).

