## Secure a zone with robots

Luc Jaulin and Benoît Zerr

## Lab-STICC, ENSTA Bretagne, Brest, France

lucjaulin@gmail.com

**Problem.** We consider n underwater robots  $\mathcal{R}_1, \ldots, \mathcal{R}_n$  at positions  $\mathbf{a}_1, \ldots, \mathbf{a}_n$  and moving in a 2D world [1]. Each robot has a visibility zone. If an intruder is inside the visibility zone of one robot, it is detected. The robots have collaborate to guarantee that they is no moving intruder inside a subzone of a compact subset  $\mathbb{O}$  of  $\mathbb{R}^2$ , representing the 2D ocean.

Complementary approach. We assume that there exists a virtual intruder moving inside  $\mathbb{O}$  satisfying the differential inclusion

$$\dot{\mathbf{x}}(t) \in \mathbb{F}(\mathbf{x}(t)),$$

where  $\mathbf{x}(t)$  is the state vector. Moreover, we assume that each robot  $\mathcal{R}_i$  has a visibility zone of the form  $g_{\mathbf{a}_i}^{-1}([0,d])$  where d is the scope. Our contribution is to show that characterizing the secure zone translates into a set-membership set estimation problem [2] where  $\mathbf{x}(t)$  is shown to be inside the set  $\mathbb{X}(t)$  returned by our set-membership observer. Then we conclude that  $\mathbf{x}(t)$  cannot be inside the *complementary* of  $\mathbb{X}(t)$ . This result can be formalized by the following theorem.

**Theorem.** The virtual intruder has a state vector  $\mathbf{x}(t)$  inside the set

$$\mathbb{X}(t) = \mathbb{O} \cap dt \cdot \mathbb{F}(\mathbb{X}(t - dt)) \cap \bigcap_{i} g_{\mathbf{a}_{i}(t)}^{-1}([d(t), \infty]),$$

where  $\mathbb{X}(0) = \mathbb{O}$ . As a consequence, the secure zone is

$$\mathbb{S}(t) = \overline{proj_{world}(\mathbb{X}(t))}.$$



Figure 1: (left) Paving of the Biscay Bay, (right) Green: Secured zone

**Proof** (sketch). Two cases should be considered. If no actual intruder exists then  $\mathbb{S}(t)$  cannot is secured. If the virtual intruder is a real one, its state  $\mathbf{x}(t)$  is inside  $\mathbb{X}(t)$  and its position (which is a part of the state) is inside  $proj_{world}(\mathbb{X}(t))$ . In both situations, the intruder can not be inside  $\mathbb{S}(t)$ .

Method. Each robot follows a reference point. All reference points form a flat ellipsoid which plays the role of a barrier. The strategy is illustrated by Fig 1 for 10 robots. The set  $\mathbb{O}$  corresponds to the blue area (left). On the right,  $\mathbb{S}(t)$  is painted green. The observer has been implemented using interval analysis.

## **References:**

- [1] L. JAULIN, *Mobile robotics*, ISTE editions, London, 2016.
- [2] M. KIEFFER, L. JAULIN, E. WALTER, D. MEIZEL, Nonlinear Identification Based on Unreliable Priors and Data, with Application to Robot Localization, *Robustness in Identification and Control*, 3 (1999), LNCIS 245, pp. 190–203.