

Computing a guaranteed approximation of the viability kernel

SMART 2015

Dominique Monnet, Luc Jaulin, Jordan Ninin
LAB-STICC / ENSTA-Bretagne


What is viability?

System \mathcal{S} defined by:

$$\begin{aligned}\dot{\mathbf{x}} &= \mathbf{f}(\mathbf{x}, \mathbf{u}), \\ \mathbf{f} : \mathbb{R}^n \times \mathbf{U} &\rightarrow \mathbb{R}^n\end{aligned}$$

A state \mathbf{x} is viable if at least one evolution of \mathcal{S} from \mathbf{x} can stay indefinitely in a set of constraint \mathbb{K} .


The viability kernel of \mathbb{K} under \mathcal{S} noted $Viab_{\mathcal{S}}(\mathbb{K})$ is the set that contains every viable state.



Why viability?

Example: management of renewable resources, economics, robotics,...


Is it possible to avoid the wall?



Why viability?

Example: management of renewable resources, economics, robotics,...

Is it possible to avoid the wall?




- 1 Attraction domains
- 2 Polygon expansion technique
- 3 Capture basin
- 4 Examples
 - Car on the hill
 - Double integrator
- 5 Conclusion

Plan

- 1 Attraction domains
- 2 Polygon expansion technique
- 3 Capture basin
- 4 Examples
 - Car on the hill
 - Double integrator
- 5 Conclusion

Attraction domain of a system

Attraction domains of S are interesting for viability, if they are located in \mathbb{K} .




Theorem on viability

Theorem

We consider a dynamical system $\dot{\mathbf{x}} = \mathbf{f}(\mathbf{x}, \mathbf{u})$, \mathbb{U} the set of possible control and \mathbb{K} a closed subset of \mathbb{R}^n .

Let $L \in \mathcal{C}^1(\mathbb{K}, \mathbb{R})$, and $\mathbb{B}_L(r) = \{\mathbf{x} \in \mathbb{R}^n \mid L(\mathbf{x}) \leq r\}$, with $r \in \mathbb{R}^+$.
If $\mathbb{B}_L(r) \subseteq \mathbb{K}$ and $\forall \mathbf{x} \in \mathbb{B}_L(r), \exists \mathbf{u} \in \mathbb{U}$ such as $\langle \mathbf{f}(\mathbf{x}, \mathbf{u}), \nabla L(\mathbf{x}) \rangle \leq 0$,
then $\mathbb{B}_L(r) \subseteq \text{Viab}_S(\mathbb{K})$.

Illustration of the theorem



Lyapunov function

Definition

A function $L : \mathbb{R}^n \rightarrow \mathbb{R}$ is said to be of Lyapunov for the dynamical system $\dot{\mathbf{x}} = \mathbf{f}(\mathbf{x})$ if:

- 1 $V(\mathbf{0}) = 0$.
- 2 $\forall \mathbf{x} \in \mathbb{R}^n \setminus \{\mathbf{0}\}, V(\mathbf{x}) > 0$.
- 3 $\forall \mathbf{x} \in \mathbb{R}^n, \langle \mathbf{f}(\mathbf{x}), \nabla V(\mathbf{x}) \rangle \leq 0$.


How to find a Lyapunov function


We choose a particular control $\mathbf{u} \in \mathbb{U}$. $\mathcal{S}_{\mathbf{u}}$: $\dot{\mathbf{x}} = \mathbf{f}(\mathbf{x}, \mathbf{u})$ is an autonomous system.


\mathbf{x}^* is an equilibrium point of $\mathcal{S}_{\mathbf{u}} \iff \mathbf{f}(\mathbf{x}^*, \mathbf{u}) = \mathbf{0}$.

- Linearize $\mathcal{S}_{\mathbf{u}}$ around \mathbf{x}^* , we get $\mathcal{S}_{\mathbf{u}}^{\mathbf{x}^*}$ defined by $\dot{\tilde{\mathbf{x}}} = A\tilde{\mathbf{x}}, \tilde{\mathbf{x}} = \mathbf{x} - \mathbf{x}^*$.
- Solve $A^T W + WA = -I$, where W is the unknown amount.
- Check whether W is positive definite.
- If W is positive definite, then $\frac{1}{2}\tilde{\mathbf{x}}^T W\tilde{\mathbf{x}}$ is a Lyapunov function for the linear system, and \mathbf{x}^* is stable.

If we do not find a Lyapunov function for $\mathcal{S}_{\mathbf{u}}^{\mathbf{x}^*}$, we compute the linear system \mathcal{S}_{ctrl} for which \mathbf{x}^* is a stable equilibrium point.

Lyapunov function and linearized system $\mathcal{S}_u^{x^*}$ 

Lyapunov function and autonomous system \mathcal{S}_u 

Lyapunov function and system S 

Viable set characterization algorithm

- Choose a control $\mathbf{u} \in \mathbb{U}$.
- Find an equilibrium point $\mathbf{x}^* \in \mathbb{K}$.
- Linearize $\mathcal{S}_{\mathbf{u}}$ around \mathbf{x}^* .
- Try to compute a Lyapunov function of $\mathcal{S}_{\mathbf{u}}^{\mathbf{x}^*}$.
- If no function found, compute \mathcal{S}_{ctrl} .
- Try to compute a Lyapunov function of \mathcal{S}_{ctrl} .
- Find $r \in \mathbb{R}^+$ such as conditions of the theorem are met.

Plan

- 1 Attraction domains
- 2 Polygon expansion technique**
- 3 Capture basin
- 4 Examples
 - Car on the hill
 - Double integrator
- 5 Conclusion

Theorem

Theorem


Let $P = \{\mathbf{p}_1, \mathbf{p}_2, \dots, \mathbf{p}_n\}$ be a polygon included in \mathbb{K} . We suppose $\{\mathbf{p}_1, \mathbf{p}_2, \dots, \mathbf{p}_n\}$ sorted in clockwise order.

If


$$\forall i, \forall \mathbf{x} \in \text{segment} [\mathbf{p}_i, \mathbf{p}_{i+1}], \exists \mathbf{u} \in \mathbb{U}, \\ \det(\mathbf{p}_{i+1} - \mathbf{p}_i, \mathbf{f}(\mathbf{x}, \mathbf{u})) \leq 0.$$

Then $P \subseteq \text{Viab}_S(\mathbb{K})$

Theorem illustration




Theorem illustration




Polygon expansion algorithm

- 1 Find a polygon $P \subseteq Viab_S(\mathbb{K})$.
- 2 Compute a larger polygon P' .
- 3 If $P' \subseteq Viab_S(\mathbb{K})$, $P = P'$, go to 1.
- 4 Else compute another polygon P' , go to 3.


Polygon expansion algorithm




Polygon expansion algorithm




Polygon expansion algorithm




Polygon expansion algorithm



Polygon expansion algorithm



Polygon expansion algorithm




Plan

- 1 Attraction domains
- 2 Polygon expansion technique
- 3 Capture basin**
- 4 Examples
 - Car on the hill
 - Double integrator
- 5 Conclusion

Capture basin problem

The capture basin of a set $\mathbb{T} \subset \mathbb{K}$ viable in \mathbb{K} noted $Capt_S(\mathbb{K}, \mathbb{T})$ is composed of every states \mathbf{x} such as \mathcal{S} can reach \mathbb{T} from \mathbf{x} in a finite time without leaving \mathbb{K} .



Theorem on the viability of a capture basin

Theorem


Let S a dynamical system, \mathbb{K} a closed subset of the state space of S and $\mathbb{T} \subset \mathbb{K}$.

*If \mathbb{T} is viable in \mathbb{K} ,
then $\text{Capt}_S(\mathbb{K}, \mathbb{T})$ is viable in \mathbb{K} .*


The set $\mathbb{V}_{in} = \mathbb{T} \cup \text{Capt}_S(\mathbb{K}, \mathbb{T})$ is an inner approximation of $\text{Viab}_S(\mathbb{K})$.

Over approximation of the viability kernel


- We try to find an over approximation of $Viab_S(\mathbb{K})$ to get an enclosure of $Viab_S(\mathbb{K})$.
- If $\forall \mathbf{u} \in \mathbb{U}$, \mathcal{S} cannot stay in \mathbb{K} from a state $\mathbf{x} \in \mathbb{K}$, then $\mathbf{x} \notin Viab_S(\mathbb{K})$.




Guaranteed integration of a box [Chaputot, 2015]




Under approximation algorithm




Under approximation algorithm




Under approximation algorithm




Under approximation algorithm




Under approximation algorithm




Under approximation algorithm




Under approximation algorithm




Under approximation algorithm




Under approximation algorithm




Under approximation algorithm




Under approximation algorithm




Under approximation algorithm




Under approximation algorithm




Over approximation algorithm




Over approximation algorithm




Over approximation algorithm




Over approximation algorithm




Over approximation algorithm



Over approximation algorithm



Over approximation algorithm



Plan

- 1 Attraction domains
- 2 Polygon expansion technique
- 3 Capture basin
- 4 Examples**
 - Car on the hill
 - Double integrator
- 5 Conclusion

Plan

- 1 Attraction domains
- 2 Polygon expansion technique
- 3 Capture basin
- 4 Examples
 - Car on the hill
 - Double integrator
- 5 Conclusion

Car on the hill problem

- The landscape is represented by the parametric function


$$g : s \rightarrow \frac{\frac{-1.1}{1.2} \cos(1.2s) + \frac{1.2}{1.1} \cos(1.1s)}{2}$$

- State vector: $\mathbf{x} = \begin{pmatrix} s \\ \dot{s} \end{pmatrix} = \begin{pmatrix} x_1 \\ x_2 \end{pmatrix}$
- Evolution function:

$$\begin{cases} \dot{x}_1 = x_2 \\ \dot{x}_2 = -9.81 \sin\left(\frac{dg}{dx_1}(x_1)\right) - 0.7x_2 + u \end{cases}$$


$$u \in [-2, 2]$$

- The car must stay on the landscape, i.e $s \in [0, 12]$



Car on the hill


Result of viable set characterization algorithm



Viable sets computed with $u = 0$. Computation time: 25 sec.

Car on the hill


Result explained



Car on the hill

Result of polygon expansion algorithm


Polygons are initialized with viable sets computed previously.



Computation time: 45 sec.


Car on the hill

Result of inner approximation algorithm

Computation time \approx 60 minutes

Car on the hill

Result of over approximation algorithm

Computation time \approx 30 minutes

Plan

- 1 Attraction domains
- 2 Polygon expansion technique
- 3 Capture basin
- 4 Examples
 - Car on the hill
 - Double integrator
- 5 Conclusion


Double integrator equations

$$\text{Evolution function: } \begin{cases} \dot{x}_1 = x_2 \\ \dot{x}_2 = u \end{cases} \quad u \in [-1, 1]$$

Constraints:

- $x_1 \in [-5, 5]$
- $x_2 \in [-5, 5]$


Results of viable set characterization algorithm



Viable sets computed with $u = 0$. Computation time: 40 sec.

Double integrator


Result of inner approximation algorithm



Computation time: 5 minutes.

Double integrator

Result of over approximation algorithm



Computation time: 7 minutes.

Plan

- 1 Attraction domains
- 2 Polygon expansion technique
- 3 Capture basin
- 4 Examples
 - Car on the hill
 - Double integrator
- 5 Conclusion

Conclusion

- We are able to deal with many viability problems in a guaranteed way.
- The system must have at least one equilibrium point.
- We can deal with 2D problems, but inner and over approximation algorithms are not efficient for higher dimensional problems
- We approached viability problem with new methods based on the study of the frontier of closed sets.