


## Eulerian state estimation

T. Le Mézo, L. Jaulin, B. Zerr  
Swim-Smart 2017, Manchester



# Eulerian state estimation

$$\dot{\mathbf{x}}(t) = \mathbf{f}(\mathbf{x}(t))$$



Leaves: Lagrangian view of the wind; Flags: an Eulerian view [3]

Eulerian state estimation can be formalized as:

- (i)  $\dot{\mathbf{x}}(t) = \mathbf{f}(\mathbf{x}(t))$  (evolution)
- (ii)  $\mathbf{x}(t_i) \in \mathbb{X}_i \subset \mathbb{R}^n$  (event)
- (iii)  $\forall (i, j) \in \mathbb{J}, t_i \leq t_j$  (precedence)

Bracket the set  $\mathbb{X} \subset \mathbb{R}^n$  of all feasible  $\mathbf{x}(t)$ .

# Invariant sets

Denote by  $\varphi$  the flow map of our system, i.e., with  $x_0 = x(0)$ , the system reaches  $\varphi(t, x_0)$  at time  $t$ .

A set  $\mathbb{A}$  is *positive invariant* if

$$\mathbf{x} \in \mathbb{A}, t \geq 0 \implies \varphi(t, \mathbf{x}) \in \mathbb{A}.$$

The set of all positive invariant sets is a lattice, *i.e.*, the union and the intersection are closed.

Thus, the notion of *largest positive invariant set* contained in  $\mathbb{X}$  can be defined.


The largest positive invariant set included in  $\mathbb{X}$  is:


$$Inv^+(\mathbf{f}, \mathbb{X}) = \{\mathbf{x}_0 \mid \forall t \geq 0, \varphi(t, \mathbf{x}_0) \in \mathbb{X}\}.$$

Mazes allow us to compute an inner and an outer approximation for  $\text{Inv}^+(\mathbf{f}, \mathbb{X})$ .

As an illustration, consider the Van der Pol system:

$$\begin{cases} \dot{x}_1 = x_2 \\ \dot{x}_2 = (1 - x_1^2) \cdot x_2 - x_1 \end{cases}$$






Largest positive invariant set  $Inv^+(\mathbf{f}, \mathbb{X})$

## Largest negative invariant set.

$$Inv^-(\mathbf{f}, \mathbb{X}) = \{\mathbf{x}_0 \mid \forall t \leq 0, \varphi(t, \mathbf{x}_0) \in \mathbb{X}\}.$$

We have

$$Inv^-(\mathbf{f}, \mathbb{X}) = Inv^+(-\mathbf{f}, \mathbb{X}).$$



Largest negative invariant set  $\text{Inv}^-(\mathbf{f}, \mathbb{X})$

## Largest invariant set

$$Inv(\mathbf{f}, \mathbb{X}) = \{\mathbf{x}_0 \mid \forall t \in \mathbb{R}, \varphi(t, \mathbf{x}_0) \in \mathbb{X}\}.$$

We have

$$Inv(\mathbf{f}, \mathbb{X}) = Inv^+(-\mathbf{f}, \mathbb{X}) \cap Inv^+(\mathbf{f}, \mathbb{X}).$$


Thus  $Inv(\mathbf{f}, \mathbb{X})$  can be defined in terms of largest positive invariant sets.

## Forward reach set

$$Forw(\mathbf{f}, \mathbb{X}) = \{\mathbf{x} \mid \exists t \geq 0, \exists \mathbf{x}_0 \in \mathbb{X}, \varphi(t, \mathbf{x}_0) = \mathbf{x}\}.$$

We have

$$Forw(\mathbf{f}, \mathbb{X}) = \overline{Inv^+(-\mathbf{f}, \bar{\mathbb{X}})}.$$




$Forw(f, \mathbb{X})$  for  $\mathbb{X} = [0.4, 1.0] \times [1.4, 1.8]$

## Backward reach set.

$$Back(\mathbf{f}, \mathbb{X}) = \{\mathbf{x}_0 \mid \exists t \geq 0, \varphi(t, \mathbf{x}_0) \in \mathbb{X}\}.$$

Since

$$Back(\mathbf{f}, \mathbb{X}) = \overline{Inv^+(\mathbf{f}, \overline{\mathbb{X}})}.$$



$Back(\mathbf{f}, \mathbb{X})$  for  $\mathbb{X} = [0.4, 1.0] \times [1.4, 1.8]$ .


# Maze

An **interval** is a *domain* which encloses a real number.


A **polygon** is a *domain* which encloses a vector of  $\mathbb{R}^n$ .

A **maze** is a *domain* which encloses a path [2][1].


A maze is a set of paths.




$\in$



Mazes can be made more accurate:



∈



Here, a **maze**  $\mathcal{L}$  is composed of


- A paving  $\mathcal{P}$
- A polygon for each box of  $\mathcal{P}$
- Doors between adjacent boxes

The set of mazes forms a lattice with respect to  $\subset$ .

$\mathcal{L}_a \subset \mathcal{L}_b$  means :

- the boxes of  $\mathcal{L}_a$  are subboxes of the boxes of  $\mathcal{L}_b$ .
- The polygons of  $\mathcal{L}_a$  are included in those of  $\mathcal{L}_b$
- The doors of  $\mathcal{L}_a$  are thinner than those of  $\mathcal{L}_b$ .

The left maze contains less paths than the right maze.




Note that yellow polygons are convex.

# Inner approximation


**Target contractor.** If a box  $[x]$  of  $\mathcal{P}$  is outside  $\mathbb{X}$  (it is outside  $Inv^+(\mathbb{X})$ ) then remove  $[x]$  and close all doors entering in  $[x]$ .

**Flow contractor.** For each box  $[x]$  of  $\mathcal{P}$ , we contract the polygon using the constraint  $\dot{x} = f(x)$ .




# Propagation







Yellow area:  $\mathbb{X}$




The red parts have been deleted




The yellow area is contracted



At each step, the yellow area encloses  $Inv^+(\mathbb{X})$




At each step, the red area is outside  $Inv^+(\mathbb{X})$




The yellow area encloses  $Inv^+(\mathbb{X})$

Eulerian state estimation  
Invariant sets  
Maze  
Eulerian filter



# Inflation propagation




An interpretation can be given only when the fixed point is reached.  
The yellow area is an inner approximation of  $\text{Inv}^+(\mathbb{X})$

# Eulerian filter


Define  $\ell$  sets  $\mathbb{X}_0, \mathbb{X}_1, \dots, \mathbb{X}_\ell$  of the state space. Define  $\mathbb{Z}_k^{forw}$  the set of all state vectors  $\mathbf{x}(t)$  inside  $\mathbb{X}_k$  that have visited  $\mathbb{X}_0, \mathbb{X}_1, \dots, \mathbb{X}_{k-1}$ . We have

$$\mathbb{Z}_{k+1}^{forw} = Forw \left( \mathbb{Z}_k^{forw} \right) \cap \mathbb{X}_{k+1}$$


with  $\mathbb{Z}_0^{forw} = \mathbb{X}_0$ .




The trajectories (b),(c) are consistent with the sets  $\mathbb{X}_{k-1}, \mathbb{X}_k, \mathbb{X}_{k+1}$



Set  $\mathbb{Z}_k^{forw}$  of all  $x(t)$  in  $\mathbb{X}_k$  that have already visited  
 $\mathbb{X}_0, \mathbb{X}_1, \dots, \mathbb{X}_{k-1}$



$Forw(\mathbb{Z}_k^{forw})$  corresponds to all states  $x(t)$  that have visited  
 $\mathbb{X}_0, \mathbb{X}_1, \dots, \mathbb{X}_k$




Set  $\mathbb{Z}_{k+1}^{forw}$  of all states  $x(t)$  in  $\mathbb{X}_{k+1}$  that have already visited  
 $\mathbb{X}_0, \mathbb{X}_1, \dots, \mathbb{X}_k$

# Eulerian smoother


Define the set  $\mathbb{Z}_k^{back}$  of all states  $x(t)$  inside  $\mathbb{X}_k$  that have visited  $\mathbb{X}_0, \mathbb{X}_1, \dots, \mathbb{X}_{k-1}$  in the past and will visit  $\mathbb{X}_{k+1}, \dots, \mathbb{X}_\ell$  in the future. We have

$$\mathbb{Z}_k^{back} = Back(\mathbb{Z}_{k+1}^{back}) \cap \mathbb{Z}_k^{forw}$$

with  $\mathbb{Z}_\ell^{back} = \mathbb{Z}_\ell^{forw}$ . This will be called the *Eulerian smoother*.




Set  $\mathbb{Z}_{k+1}^{back}$  of all states  $x(t)$  inside  $\mathbb{Z}_{k+1}^{forw}$  that will visit  $\mathbb{X}_{k+2}, \dots, \mathbb{X}_\ell$



Set  $Z_k^{back}$  of all states  $x(t)$  inside  $Z_k^{forw}$  that will visit  $X_{k+1}, \dots, X_\ell$

The set of trajectories that started inside  $\mathbb{X}_0$  and visited the sets  $\mathbb{X}_1, \mathbb{X}_2, \dots, \mathbb{X}_{\ell-1}$  sequentially, and that ended in  $\mathbb{X}_\ell$  can thus be enclosed by


$$Forw\left(\mathbb{Z}_0^{back}\right) \cap Back\left(\mathbb{Z}_\ell^{back}\right).$$



Set  $Forw(Z_0^{back}) \cap Back(Z_\ell^{back})$  enclosing the trajectory consistent with the past and future visits

**Example.** Take the Van der Pol system with


$\mathbb{X}_0 = [\mathbf{a}] = [0, 0.6] \times [0.8, 1.8]$ ,  $\mathbb{X}_1 = [\mathbf{b}] = [0.7, 1.5] \times [-0.2, 0.2]$  and  
 $\mathbb{X}_2 = [\mathbf{c}] = [0.2, 0.6] \times [-2.2, -1.5]$ .



Feasible states associated to the Eulerian state estimation problem

An application of Eulerian state estimation moving taking advantage of ocean currents.

Direction et intensité des courants moyens sur  
 la verticale le 07/06/2016 15:00 (heure légale) mise à jour le 08/06/2016 11h18



Visiting the three red boxes using a buoy that follows the currents  
 is an Eulerian state estimation problem

-  T. Le Mézo, L. Jaulin, and B. Zerr.  
Inner approximation of a capture basin of a dynamical system.  
In *Abstracts of the 9th Summer Workshop on Interval Methods*. Lyon, France, June 19-22, 2016.
-  T. Le Mézo, L. Jaulin, and B. Zerr.  
An interval approach to compute invariant sets.  
*IEEE Transaction on Automatic Control*, 2017.
-  Ian Mitchell, Alexandre M. Bayen, and Claire J. Tomlin.  
Validating a Hamilton-Jacobi Approximation to Hybrid System Reachable Sets.  
In Maria Domenica Di Benedetto and Alberto Sangiovanni-Vincentelli, editors, *Hybrid Systems: Computation and Control*, number 2034 in Lecture Notes in Computer Science, pages 418–432. Springer Berlin Heidelberg, 2001.